The Modernist

The Ultramodernist



kokeena.com

Door Style Specification – Copyright © 2020 Kokeena Corp.

Kokeena's The Modernist & The Ultramodernist, in Plain Sawn Walnut and Rift Walnut respectively, are enduring Kokeena classics.

They are a simple, 1-piece design (a slab door) constructed of a recycled wood substrate which is veneered, edge banded and finished on all sides. Options for horizontal grain and matching across the run can make a stunning impact.

The finish is a water-based conversion varnish with a 20% sheen for unsurpassed durability, good looks, and solid sustainability credentials.

The Modernist



The Ultramodernist




Shown in Black Walnut

The Modernist

This is a single-piece, slab-style door that is veneered on two sides, edge-banded on four, and finished all around. It uses Kokeena's recycled wood substrate (not MDF), which is highly moisture resistant and has unsurpassed sustainability credentials.

Attribue	Detail
Wood Species - Veneer	Plain Sawn Walnut, Grade A1
Wood Species - Core	NAUF high-density recycled wood board
Grain Direction	Vertical grain is standard
	Horizontal grain available with consultation
Grain Matching	All doors on a single unit are matched
	Matching across units available with horizontal grain, up to 96" along the run
Finish Type	Water-based Conversion Varnish Optional: Black Walnut Stain
Finish Sheen	Low, 20% (similar to Satin)
Adhesives & Glues	Low- or no-VOC
Overall Thickness	3/4"
Max Door Height	60″
Boring	Bored for IKEA SEKTION Other Systems on Special Request
Custom Sizes Available?	Yes, consultation required





Door & Drawer Construction

3/4" NAUF high-density recycled wood substrate, veneered both sides, with matched edge-banding.

Grain Direction & Matching

Vertical grain is standard, and all doors/drawers on a single cabinet unit are grain-matched by default. Matching across units and horizontal grain orientation are available with a consultation.

End Panels

3/4" NAUF high-density recycled wood substrate, veneered both sides and edge-banded. Thicker panels available on request.

Filler & Toe Kick

Filler / trim strips are veneered both sides and edge-banded; finished all sides. Toe kick is veneered on two sides, finished one side.

Adhesives

Low- or no-VOC adhesives. The specific formulations may vary depending on availability.

Finish

Water-based conversion varnish; sprayed. Low sheen (20%); similar to off-the-shelf "satin." Can be customized on request.

Black Walnut Stain is available as an option.

Sizes

All door / front sizes, and a standard set of end panels and trim are available and priced for the SEKTION system. Doors and drawer fronts come pre-bored and ready to install on the hinges and drawers that come with IKEA's cabinets.

Custom sizes, including for other IKEA systems, available on request.


Warranty

5 year standard warranty. See full warranty details at kokeena.com/standard-warranty.

The Ultramodernist

This is a single-piece, slab-style door that is veneered on two sides, edge-banded on four, and finished all around. It uses Kokeena's recycled wood substrate (not MDF), which is highly moisture resistant and has unsurpassed sustainability credentials.

Attribue	Detail
Wood Species - Veneer	Rift Cut Walnut, Grade A1
Wood Species - Core	NAUF high-density recycled wood board
Grain Direction	Vertical grain is standard
	Horizontal grain available with consultation
Grain Matching	All doors on a single unit are matched
	Matching across units available with horizontal grain, up to 96" along the run
Finish Type	Water-based Conversion Varnish
Finish Sheen	Low, 20% (similar to Satin)
Adhesives & Glues	Low- or no-VOC
Overall Thickness	3/4"
Max Door Height	60″
Boring	Bored for IKEA SEKTION Other Systems on Special Request
Custom Sizes Available?	Yes, consultation required





Door & Drawer Construction

3/4" NAUF high-density recycled wood substrate, veneered both sides, with matched edge-banding.

Grain Direction & Matching

Vertical grain is standard, and all doors/drawers on a single cabinet unit are grain-matched by default. Matching across units and horizontal grain orientation are available with a consultation.

End Panels

3/4" NAUF high-density recycled wood substrate, veneered both sides and edge-banded. Thicker panels available on request.

Filler & Toe Kick

Filler / trim strips are veneered both sides and edge-banded; finished all sides. Toe kick is veneered on two sides, finished one side.

Adhesives

Low- or no-VOC adhesives. The specific formulations may vary depending on availability.

Finish

Water-based conversion varnish; sprayed. Low sheen (20%); similar to off-the-shelf "satin." Can be customized on request.

Sizes

All door / front sizes, and a standard set of end panels and trim are available and priced for the SEKTION system. Doors and drawer fronts come pre-bored and ready to install on the hinges and drawers that come with IKEA's cabinets.

Custom sizes, including for other IKEA systems, available on request.

Warranty

2 year standard warranty. See full warranty details at <u>kokeena.com/standard-warranty</u>.