

Uptown

A close-up photograph of a modern door handle. The handle is white and rectangular. On the side of the handle, there is a horizontal inlay with a light-colored wood-grain texture. Centered on this inlay is the Kokeena logo, which consists of a blue circle containing a white letter 'K', followed by the word 'kokeena' in a lowercase, sans-serif font.

 kokeena

A Contemporary, Upscale Look

Kokeena's Uptown brings a refined sense of calm into any space.

It is a simple, 1-piece design constructed of a recycled wood substrate which is veneered, edge banded and finished on all sides. Options for horizontal grain and matching across the run allow creative flexibility.

The multi-step finish is topped with a water-based conversion varnish at 20% sheen for unsurpassed durability, good looks, and solid sustainability credentials.

Slate




Barnwood



Uptown - Slate

This is a single-piece, slab-style door that is veneered on two sides, edge-banded on four, and finished all around. It uses Kokeena's recycled wood substrate (not MDF), which is highly moisture resistant and has unsurpassed sustainability credentials.



Attribute	Detail
Wood Species - Veneer	Plain Sawn Alder, Grade A1
Wood Species - Core	NAUF high-density recycled wood board
Grain Direction	Vertical grain is standard Horizontal grain available with consultation
Grain Matching	All doors on a single unit are matched Matching across units available with horizontal grain, up to 96" along the run
Finish Type	Mineral Stain - Sprayed Water-based Conversion Varnish - Sprayed
Finish Sheen	Low, 20% (similar to Satin)
Adhesives & Glues	Low- or no-VOC
Overall Thickness	3/4"
Max Door Height	60"
Boring	Bored for IKEA SEKTION Other Systems on Special Request
Custom Sizes Available?	Yes, consultation required



Door & Drawer Construction

3/4" NAUF high-density recycled wood substrate, veneered both sides, with matched edge-banding.

Grain Direction & Matching

Vertical grain is standard, and all doors/drawers on a single cabinet unit are grain-matched by default. Matching across units and horizontal grain orientation are available with a consultation.

End Panels

3/4" NAUF high-density recycled wood substrate, veneered both sides and edge-banded. Thicker panels available on request.

Filler & Toe Kick

Filler / trim strips are veneered both sides and edge-banded; finished all sides. Toe kick is veneered on two sides, finished one side.

Adhesives

Low- or no-VOC adhesives. The specific formulations may vary depending on availability.

Finish

Two step process: 1) mineral stain, sprayed; 2) water-based conversion varnish, sprayed. Low sheen (20%); similar to off-the-shelf "satin." Can be customized on request.

Sizes

All door / front sizes, and a standard set of end panels and trim are available and priced for the SEKTION system. Doors and drawer fronts come pre-bored and ready to install on the hinges and drawers that come with IKEA's cabinets.


Custom sizes, including for other IKEA systems, available on request.

Warranty

5 year standard warranty. See full warranty details at [kokeena.com/standard-warranty](https://www.kokeena.com/standard-warranty).

Uptown - Barnwood

This is a single-piece, slab-style door that is veneered on two sides, edge-banded on four, and finished all around. It uses Kokeena's recycled wood substrate (not MDF), which is highly moisture resistant and has unsurpassed sustainability credentials.



Attribute	Detail
Wood Species - Veneer	Plain Sawn Alder, Grade A1
Wood Species - Core	NAUF high-density recycled wood board
Grain Direction	Vertical grain is standard Horizontal grain available with consultation
Grain Matching	All doors on a single unit are matched Matching across units available with horizontal grain, up to 96" along the run
Finish Type	Opaque stain w/ wiped wet water glaze. Water-based Conversion Varnish - Sprayed
Finish Sheen	Low, 20% (similar to Satin)
Adhesives & Glues	Low- or no-VOC
Overall Thickness	3/4"
Max Door Height	60"
Boring	Bored for IKEA SEKTION Other Systems on Special Request
Custom Sizes Available?	Yes, consultation required



Door & Drawer Construction

3/4" NAUF high-density recycled wood substrate, veneered both sides, with matched edge-banding.

Grain Direction & Matching

Vertical grain is standard, and all doors/drawers on a single cabinet unit are grain-matched by default. Matching across units and horizontal grain orientation are available with a consultation.

End Panels

3/4" NAUF high-density recycled wood substrate, veneered both sides and edge-banded. Thicker panels available on request.

Filler & Toe Kick

Filler / trim strips are veneered both sides and edge-banded; finished all sides. Toe kick is veneered on two sides, finished one side.

Adhesives

Low- or no-VOC adhesives. The specific formulations may vary depending on availability.

Finish

Opaque stain with a custom wiped wet water glaze followed by a water-based conversion varnish (sprayed). Low sheen (20%); similar to off-the-shelf "satin." Can be customized on request.

Sizes

All door / front sizes, and a standard set of end panels and trim are available and priced for the SEKTION system. Doors and drawer fronts come pre-bored and ready to install on the hinges and drawers that come with IKEA's cabinets.

Custom sizes, including for other IKEA systems, available on request.

Warranty

2 year standard warranty. See full warranty details at kokeena.com/standard-warranty.